


Plinth Style Entry Unit - 300mm square



Preparing and Sending Artwork

Step 1

Create Your Artwork

We recommend using Adobe InDesign, Adobe Illustrator, Adobe Photoshop or CorelDraw to create your artwork. Use CMYK colour format (Not RGB).



Step 2

Preferred File format

Supply a high-res PDF file for printing. All fonts converted to outlines / paths. Images to be sized 150dpi at 100%.



Step 3

Colour Matching

Where a specific colour is to be matched, please provide a CMYK breakdown and Pantone PMS number.

Step 4

File Submission Options

Under 10mb?

Email

Direct to your Displays 2 Go sales person or sales@displays2go.com.au

Under 2Gb?

'WeTransfer'

displays2go.wetransfer.com (Free service for files up to 2Gb)

Over 2Gb?

Courier

Displays 2 Go
 60-62 Sawyer Lane
 Artarmon
 NSW 2064

Entry Unit

300mm Square with SAV

This document represents final artwork size inclusive of bleed.

TRIM AREA – MAGENTA solid line:
295mm wide x Adjust height to suit

BLEED: 40mm all sides

FINISHED DOCUMENT DIMENSIONS – bleed included:
375mm wide x Adjust height to suit

IMPORTANT INFORMATION:

Please ensure template lines are not visible on finished artwork

Do not include crop marks

Convert all fonts to paths/outlines

Convert all spot colours to CMYK

Final document to be saved as a Press Quality PDF

Minimum resolution of 150ppi at 100%

FRONT - 295mm

Entry Unit Header with SAV

This document represents final artwork size inclusive of bleed.

**TRIM AREA – MAGENTA solid line:
300mm Wx 400mm H**

BLEED: 40mm all sides

**FINISHED DOCUMENT DIMENSIONS – bleed included:
380mm W x 480mm H**

IMPORTANT INFORMATION:

Please ensure template lines are not visible on finished artwork

Do not include crop marks

Convert all fonts to paths/outlines

Convert all spot colours to CMYK

Final document to be saved as a Press Quality PDF

Minimum resolution of 150ppi at 100%